

# MODERN FLAMES

ELECTRIC FIREPLACES



2018  
PRODUCT CATALOG  
January 1st, 2018





MODERN  FLAMES

ABOUT US

Modern Flames was established in 2008 and has quickly become the innovative leader in contemporary electric fireplace design and technology. After pioneering the linear electric fireplace throughout North America, Modern Flames' brand has sky rocketed with many firsts to market which include; the first linear recessed electric fireplace, the first fully built-in electric fireplace, the first outdoor electric and now the first steam electric fireplace. Modern Flames' products have gained notoriety with architects, designers, builders and homeowners for its unbelievable life-like flame appearance,

ease of installation and affordable cost to the builder compared to wood and gas. With global movement into greener building and high efficiency products, Modern Flames' new FusionFire™ technology allows consumers to achieve the look of a fireplace without sacrificing the realism of a real fire. With a new corporate headquarters and expanded warehouse in Phoenix, Arizona, along with it's new steam technology, Modern Flames continues to be a leader in the electric fireplace industry. Modern Flames is innovating the industry standards of tomorrow.

CONTENTS

**4-7 FusionFire™**  
The First Steam Fireplace

**8-11 Landscape Fullview 2 Series**  
Electric Fireplace with Unique Frameless Design

**12-15 Ambiance CLX2 Series**  
Framed Recessed Wall Mount Electric Fireplace

**16-19 Spectrum Series**  
Electric Fireplace with 12 Different Flame Colors

**20-23 HomeFire Series**  
Built-in Flush Mount Electric Fireplace

**24-25 Nova Series**  
Indoor/Outdoor Electric Fireplace

**26-27 ZCR Series**  
Electric Fireplace Insert





FFS-L60 with Optional Driftwood Logs and LedgeStone Back Brick

# FUSIONFIRE™

## The First Steam Fireplace

The FusionFire™ Steam Fireplace is the next step of Modern Flames' revolutionary line of innovative fireplace products that will forever change the way people view fireplaces. This is the first product in the hearth industry to successfully bridge the gap between gas and electric fireplaces by combining the natural, three-dimensional flame appearance of a gas fireplace with the safety and ease of installation of an electric fireplace. This award-winning product gives the natural, three-dimensional flame of real fire by using water and electricity instead of wood or fossil fuels.



FFS-L60 with Standard Black Glass Media



Cool to the Touch Glass Face



FFS-L60 with Optional River Stone Media

- ### STANDARD FEATURES
- Patented Steam Technology
  - Zero Carbon Emissions
  - Zero Clearance to Combustibles
  - 6 Stage Variable Flame Settings
  - Built-In Clean Face Installation
  - Cool to the Touch Glass Face
  - Can be Installed Beneath a TV
  - Operates with Remote or Touch Pad
  - Full Life-Like Flame Appearance
  - Manual Fill or Direct Plumbing
  - Optional Heating Available
  - 120 Volt Hard Wire
  - Internal Computer



# FUSIONFIRE™

## Steam Fireplace

### STANDARD MEDIA



FFS-L60 with Standard Black Glass Chip Media



Black Glass Chip Ember Bed

### UPGRADE MEDIA OPTIONS




FFS-L60 with Optional Driftwood Logs and Ledgestone Back Brick



FFS-L60 with Optional River Stone Media and Ledgestone Back Brick



8 Piece Driftwood Log Set  
DWL-60FFS



23 Piece  
River Stone Media  
RSM-60FFS



2 Piece  
Black Ledgestone Back Brick  
BLS-60FFS

# FUSIONFIRE™

## Technical Specs





### REMOTE CONTROL

On/Off flame and heat operation with variable flame height and flame intensity in a sleek, modern design.



The pop-up display allows you to control all functions of the fireplace as well as displaying real time information about the fireplace.

MODEL #	VOLTS	WATTS	BTU's	FRAMING (ROUGH OPENING)	INSTALLATION TYPE
FFS-L60 (Flame)	AC 120V / 60Hz 20A Circuit	1,920	5,000 (Optional)	75 1/2" L x 32 1/2" H x 14" D	Built-In Clean Face
FFS-L60 (Heater)	AC 120V / 60Hz 15A Circuit	1500W / 5000BTU	Heater is installed in Fireplace but must be hooked up separately. Customer can choose to wire for flame only (1 - 20A) or wire for flame & heat (2 - 20A)		


















# LANDSCAPE FULLVIEW 2 SERIES

## Built-in Clean Face Electric Fireplace

The Landscape FullView 2 built-in electric fireplace is the first of its kind creating a perfect substitute for a linear gas fireplace. This unique frameless design allows for edge to edge flame presentation as well as unlimited surround capabilities. Available in 5 different lengths for any application as well as 3 customizable flame bed options for different fit and finishes. An optional 2 stage heater is also included for supplemental heat up to 450 square feet.



### STANDARD FEATURES

-  Realistic Natural Flame Appearance
-  Orange/Blue Color Changing Flame
-  Glowing Coal Ember Bed
-  5,000 BTU Heater
-  Full Flame Viewing Area
-  Fully Finished Clean Face Installation
-  Affordable Alternative to Gas
-  Can be Installed Beneath a TV
-  Cool to the Touch with Heat On or Off
-  Remote Control
-  Wall Tether Touch Screen Control



# LANDSCAPE FULLVIEW 2 SERIES

Available in 5 Linear Widths with Orange or Blue Changeable Flames



Fireplace Height 15" with 5 Widths Available: 40" 60" 80" 100" 120"



Blue Flames shown with Standard Media – Standard & Dusted w/paint



Orange Flames shown with Standard Media – Standard & Dusted w/paint

### MEDIA UPGRADES



LFV2-40/15-SH with DWLS-4015



LFV2-40/15-SH with GC-4015 & BGC-40/15  
Can be Ordered Separately



LFV2-100/15-SH

# LANDSCAPE FULLVIEW 2 SERIES

## Technical Specs



**REMOTE CONTROL**  
Separate controls for on/off variable heat and variable flame.




### TOUCH SCREEN TECHNOLOGY

Touch control panel can be wall mounted within ten feet of the fireplace. The 3 stacked icons (in order) operate the power, heat (on/off) and light intensity. Hold the light intensity for five seconds to change the flame color from orange to blue. All touch controls fade to black after 4 seconds.

MODEL #	VOLTS	WATTS	BTU's	FRAMING (ROUGH OPENING)	INSTALLATION TYPE
LFV2-40/15-SH	AC 120V / 60Hz	1,530	5,000	55 3/4" L x 12" D x 23" H	Built-In Clean Face
LFV2-60/15-SH	AC 120V / 60Hz	1,530	5,000	75 3/4" L x 12" D x 23" H	Built-In Clean Face
LFV2-80/15-SH	AC 120V / 60Hz	1,550	5,000	95 3/4" L x 12" D x 23" H	Built-In Clean Face
LFV2-100/15-SH	AC 120V / 60Hz	1,600	5,000	115 3/4" L x 12" D x 23" H	Built-In Clean Face
LFV2-120/15-SH	AC 120V / 60Hz	1,600	5,000	135 3/4" L x 12" D x 23" H	Built-In Clean Face

### LFV2-60/15-SH TECHNICAL DRAWING SHOWN



MODEL #	A	B	C	D	E	F
LFV2-40/15	15"	40"	11½"	22½"	54¾"	57¼"
LFV2-60/15	15"	60"	11½"	22½"	74¾"	77¼"
LFV2-80/15	15"	80"	11½"	22½"	94¾"	97¼"
LFV2-100/15	15"	100"	11½"	22½"	114¾"	117¼"
LFV2-120/15	15"	120"	11½"	22½"	134¾"	137¼"





# AMBIANCE CLX2 SERIES

## Recessed or Wall Mount Electric Fireplace

The popular Ambiance CLX2 electric fireplace offers the ultimate combination of versatility and design. This award winning, upgraded product series has an improved look offering simple customization. The Ambiance CLX2 features a NEW color changing orange to blue flame for year-round use, a thermostat for setting that ideal temperature and includes 2 styles of media for 2 distinctive looks: coals and glacier diamond glass. Four unique surround options offer the ultimate customization: stainless steel, black stainless steel, flat white metal & matte black metal. The 45" and 60" sizes are the perfect addition to any room in the home.




### STANDARD FEATURES

- Recessed or Wall Mount Installation
- Color Changing Orange to Blue Flame
- Media - Coals & Glacier Glass (Included)
- Low Energy LED Flame Technology
- Unsurpassed Realistic Flame Pattern
- Hi-tech Touch Screen Controls
- New Sleek Remote
- Can be Installed Beneath a TV
- Variable Heat with Thermostat
- Variable Flame Controls
- 120 Volt Direct Plug-in
- Do it Yourself Installation Instructions



# AMBIANCE CLX2 SERIES

Available in 5 Linear Widths with More Ways to Customize



Fireplace Height 25.5" with 5 Widths Available: 45" 60" 80" 100" 144"



Orange Flames with Standard Coal Bed Orange Flames with Standard Glacier Glass Ember Bed Blue Flames with Standard Glacier Glass Ember Bed

UPGRADED FRAME OPTIONS - Touch Screen NOT available with metal frames. Can be relocated on the wall.



AL CLX2-BS



AL CLX2-MB



AL CLX2-SS



AL CLX2-FW




Optional 10 Color RGB Halo Backlight - Includes 10 Button Remote control



Fuchsia Pink Blue Aqua Turquoise Green Lime Yellow Red

# AMBIANCE CLX2 SERIES

## Technical Specs




**REMOTE CONTROL**  
Separate controls for on/off variable heat and variable flame.



**TOUCH SCREEN TECHNOLOGY**  
A user-friendly series of touch controls operate power, heat (on/off) and light intensity.  
Press light intensity for 5 sec. and the flame changes from orange to blue.  
The up/down arrows and digital readout indicate and control the temperature setting.  
All touch controls fade to black after 4 sec.  
With the metal face upgrades you will no longer be able to have the ability to operate the touchscreen on the face of the fireplace. A touchscreen can be mounted in the wall within 3' of the fireplace.

MODEL #	VOLTS	WATTS	BTU's	FRAMING (FINISHED OPENING)	INSTALLATION TYPE
AL45CLX2-G	AC 120V / 60Hz	1,520	5,000	30" L x 19 1/2" H x 4" D	Recessed / Wall Mount
AL60CLX2-G	AC 120V / 60Hz	1,530	5,000	45" L x 19 1/2" H x 4" D	Recessed / Wall Mount
AL80CLX2-G	AC 120V / 60Hz	1,550	5,000	65" L x 19 1/2" H x 4" D	Recessed / Wall Mount
AL100CLX2-G	AC 120V / 60Hz	1,570	5,000	85" L x 19 1/2" H x 4" D	Recessed / Wall Mount
AL144CLX2-G	AC 120V / 60Hz	1,610	5,000	131 1/2" L x 19 1/2" H x 4" D	Recessed ONLY

### AL60CLX2 TECHNICAL DRAWING SHOWN



MODEL #	A	B	C	D	E	F	G
AL45CLX2-G	10"	27"	5 1/8"	29 1/4"	19 1/4"	45"	25 1/2"
AL60CLX2-G	10"	42"	5 1/8"	44 1/4"	19 1/4"	60"	25 1/2"
AL80CLX2-G	10"	62"	5 1/8"	64 1/4"	19 1/4"	80"	25 1/2"
AL100CLX2-G	10"	82"	5 1/8"	84 1/4"	19 1/4"	100"	25 1/2"
AL144CLX2-G	10"	126"	5 1/8"	122 1/2"	19 1/4"	144"	25 1/2"













# SPECTRUM SERIES

## Electric Fireplace Built-in Flush Mount

Modern Flames Spectrum Series Built-In Flush Mount Electric Fireplace brings the flame versatility and size options to the conventional electric fireplace. Our award winning flame appearance now features 12 different flame color combinations to choose from. A gray back screen allows the colors to shimmer and shine, dancing off multicolor glacier diamond glass, creating a crisp, clean flame and contemporary look. The Spectrum Series is available in 3 different box size models: 36" traditional, 50" and 74" linear. A thermostat, touch control and remote completes this innovative series.



### STANDARD FEATURES

-  Unsurpassed Realistic Flame Pattern
-  12 Color Flame Combinations
-  Glacier Glass Ember Bed
-  Low Energy LED Flame Technology
-  Touch Button Controls
-  New Sleek Remote
-  Can be Installed Beneath a TV
-  Variable Heat with Thermostat
-  Variable Flame Controls
-  120 Volt Plug/Hard Wire Ready
-  Do it Yourself Installation Instructions




# SPECTRUM SERIES

## 12 Flame Color Combinations at the Push of a Button


The 6 button control panel is located at the top right of fireplace including the digital readout thermostat. Button #1 turns the fireplace on or off. Button #2 turns on the heater. Button #3 turns the heater temperature up and #4 turns the heat down. Button #5 cycles through the 12 different flame color combinations, and button #6 adjusts the flame intensity.



Blue




Cyan




Emerald



Gold



Green



Ice Blue




Magenta



Multi



Orange



Purple



Red



White

# SPECTRUM SERIES


## Technical Specs



**REMOTE CONTROL**  
Separate controls  
for on/off  
variable heat  
and variable flame.

MODEL #	VOLTS	WATTS	BTU's	FRAMING (FINISHED OPENING)	INSTALLATION TYPE
SC36-B	AC 120V / 60Hz	1,530	5,000	35 1/2" L x 24 1/4" H x 8" D	Fully Recessed
SL50-B	AC 120V / 60Hz	1,530	5,000	48 1/2" L x 18 1/4" H x 8" D	Fully Recessed
SL74-B	AC 120V / 60Hz	1,530	5,000	72 1/2" L x 18 1/4" H x 8" D	Fully Recessed

MODEL #	A	B	C	D	E	F	G
SC36-B	19"	33 1/4"	7 5/8"	34 7/8"	23 3/4"	36 3/4"	24 3/4"
SL50-B	13 1/4"	46 1/4"	7 5/8"	47 7/8"	18"	49 3/4"	19"
SL74-B	13 1/4"	70 1/2"	7 5/8"	72 1/8"	18"	74"	19"

















# HOMEFIRE SERIES

## Built-in Flush Mount Electric Fireplaces

The HomeFire 36" flush mount electric fireplace has the versatility of a contemporary glass or traditional authentic LED log set that looks extremely realistic whether it's on or off. This handsomely styled electric fireplace will make you proud to show friends and is available with an optional choice of 2 matchless real wood cabinets. The larger 42" & 60" sizes have exceptional viewing areas making these models one of a kind in the marketplace. The versatility of a single model can tailor to the room décor by a contemporary glass or traditional log appearance. The design of these models is built to gas fireplace specifications and provides a perfect substitute for such applications while providing supplemental heat up to 450 square feet.



### STANDARD FEATURES

-  Low Energy LED Flame Technology
-  Flame Operates With or Without Heat
-  1500 Watt / 5000 BTU Heater
-  Can be Installed Beneath a TV
-  Deeper Firebox for 3D Burner & Flame
-  Designed to Match Standard Gas Fireplace Sizes
-  Customizable Side Panel Options
-  Customizable Burners
-  Hard Wire or Plug-in Cord Option
-  Touch Screen and Remote Control



# HOMEFIRE SERIES

## Traditional or Contemporary



Traditional Juniper Log Set



Contemporary Large Glacier Glass


- CUSTOMIZE**  
Must pick one of each:
- Firebox
  - Media (logs or glass)
  - Firebox Side Panels



Brick Herringbone



Brick Straight



Black Glass




# HOMEFIRE SERIES

## Technical Specs



### REMOTE CONTROL

Separate controls  
for on/off  
variable heat  
and variable flame.




### TOUCH SCREEN TECHNOLOGY

Directly below the flame on the right hand side  
you will find a series of touch controls.  
The 3 icons (in order) operate the power,  
heat (on/off) and light intensity.  
All touch controls fade to black after 4 seconds.

MODEL #	VOLTS	WATTS	BTU's	FRAMING (FINISHED OPENING)	INSTALLATION TYPE
HF36CBI	AC 120V / 60Hz	1,520	5,000	33" L x 27 1/4" H x 12" D	Fully Recessed
HF42CBI	AC 120V / 60Hz	1,530	5,000	39" L x 27 1/4" H x 12" D	Fully Recessed
HF60CBI	AC 120V / 60Hz	1,570	5,000	57" L x 27 1/4" H x 12" D	Fully Recessed

MODEL #	A	B	C	D	E	F	G
HF36CBI	17 1/2"	30"	11 7/16"	32 5/16"	26 13/16"	36"	29 1/4"
HF42CBI	17 1/2"	36"	11 7/16"	38 5/16"	26 13/16"	42"	29 1/4"
HF60CBI	17 1/2"	54"	11 7/16"	56 5/16"	26 13/16"	60"	29 1/4"

### HF36CBI TECHNICAL DRAWING SHOWN







# NOVA INDOOR/OUTDOOR

## Recessed Electric Fireplace

The NOVA Recessed Electric Fireplace follows the long lineage of industry changing electric fireplaces. This is the first Outdoor Rated Electric Fireplace available in the market. The fully enclosed electric fireplace construction is built and designed to accommodate any environmental occurrence such as rain and other coastal factors. The Nova is a 120V non-heat model and operates with a wall switch. The Nova creates a perfect ambiance for any moonlight setting.

### UPGRADED FRAME OPTIONS




NOVA-60-BS Black Stainless Steel









### NOVA-60 TECHNICAL SPECS

MODEL #	VOLTS	WATTS	BTU's	FRAMING (FINISHED OPENING)	INSTALLATION TYPE
NOVA-60-G	AC 120V / 60Hz	60	NONE	57 1/4" L x 17 1/8" H x 5" D	Recessed

### NOVA-60 TECHNICAL DRAWING SHOWN



### STANDARD FEATURES

-  Recessed Mounted Installation
-  Weather Proof Construction
-  2 1/4" Trim Surround
-  Realistic Natural Flame Appearance
-  Standard Coal Bed Media
-  Low Energy LED Flame Technology
-  120 Volt Direct Wire
-  Operates on Wall Switch





# ZCR INSERT

## Electric Fireplace Insert

The ZCR series is designed as a replacement insert for existing wood burning fireplaces and provides a beautiful and economical substitute for a gas log set or gas insert. Just slide into your existing masonry or zero clearance fireplace and plug in! This model comes standard with a decorative trim piece and realistic LED Canyon Juniper Logs. The combination of its glowing realism, ease of installation and low cost of operation make this fireplace a perfect addition to the home.



**REMOTE CONTROL**  
Separate controls  
for on/off  
variable heat  
and variable flame.

### STANDARD




Standard Face Trim-3824

### UPGRADE OPTIONS




GK-ZCR Optional Glacier Glass Media



Optional Face Trim-4426

### ZCR TECHNICAL SPECS

MODEL #	VOLTS	WATTS	BTU's	MINIMUM OPENING REQUIRED	INSTALLATION TYPE
ZCR-3824	AC 120V / 60Hz	1,500	5,000	29 1/4" W x 19 1/4" H x 11" D	Insert



### STANDARD FEATURES

- Realistic Flame Appearance
- Easy Access Push Button controls
- 1500 Watt / 5000 BTU Heater
- Fits into Existing Zc Fireboxes
- Glowing LED Canyon Juniper Log Set
- 3 Stage Flame Brightness
- Can be Installed Beneath a TV
- Remote Control



# MODERN FLAMES

ModernFlames.com

3515 E. Atlanta Ave. Phoenix, AZ 85040

(602) 268-9353 • (877) 246-9353



INNOVATING THE INDUSTRY STANDARDS OF TOMORROW